

## Low-Toxic Fly Management for Horses

**Barb Ogg**  
UNL Extension Educator

During warmer months, house and stable flies are common pests around equine facilities. House flies are primarily a nuisance, although they are potential disease vectors. On the other hand, stable flies cause a painful bite, especially on the sides of the neck, lower legs and underbelly of animals—places where the animal cannot defend itself very well. In the absence of an animal, stable flies also bite people, especially on bare lower legs (Figure 1).

House flies and stable flies breed in moist, decaying organic matter mixed with animal manure. Common places include spoiled animal feed or soiled straw bedding. High numbers of stable flies cause animals to become weakened from blood loss, nervous and irritable.

### Sanitation is Important

To reduce fly breeding sites, there is no substitution for sanitation. Maintain sanitary conditions in and around your equine facility including:

- Removal of manure from stalls, barns, corrals, exercise areas and turnout areas.
- Cleaning up leftover or spilled feed, grain and hay on a daily basis.
- Keeping manure storage areas dry. As soon as possible, spread manure on pastures so it can be exposed to sunlight and dry out.
- Making sure stall areas and barn have proper drainage to eliminate wet and moist areas where flies breed.

### Larval Control with Insect Growth Regulators

There are a number of insecticidal products that control adult flies, including premise sprays, bait stations



Figure 1. Stable flies are blood-sucking flies with painful bites.



Figure 2. The life cycle of a fly consists of egg (left), larva (top), pupa (right) and adult (bottom)

and on-animal insecticides. These provide only temporary relief and must be reapplied frequently.

However, there are some newer products that control larval flies at the source, in the manure. The active ingredients of these products are known as *insect growth regulators* (IGRs) which interfere with growth and development of fly maggots.

**How do IGR products work?** The life cycle of a fly consists of egg, larva (maggot), pupa and adult (Figure 2). The adult female fly lays eggs in manure or other suitable organic matter. The eggs hatch into tiny maggots, which feed on the manure. These maggots molt several times to larger stages. When maggots reach

maturity, they pupate, later emerging as adults.

There are two active ingredients found in IGR products registered for fly larval control on horses: diflubenzuron and cyromazine. Diflubenzuron and cyromazine are called *chitin synthesis inhibitors* because they interfere with the formation of chitin, the primary component of the insect cuticle (the skin). Insects exposed to these IGRs will not molt properly so most of the maggots will die when they molt and flies will not emerge from the manure. These products control the flies while in the manure and are more efficient than relying on fly sprays.

**Diflubenzuron.** Diflubenzuron is found in the feed-through products SimpliFly™

and Equitrol® II, manufactured by Farnam. These products are identical. SimpliFly and Equitrol II are top dressed on grain or mixed with the ration to provide 6.8 mg per 100 pounds of body weight. For a 1,000-pound horse, the dosage is 1 ounce Equitrol II or SimpliFly per day.

**Cyromazine.** The product containing cyromazine and registered in Nebraska for horses is Solitude IGR™. It is an alfalfa-based pellet, manufactured by Pfizer Animal Health. Dosage of Solitude is not based on body weight, but each horse should be fed 1/2 ounce Solitude per day.

**Safety and Effectiveness.** Because molting is a process only arthropods do, warm-blooded animals, including birds and mammals will not be affected by IGRs. Studies have shown these products are safe for horses, other mammals (including humans), beneficial insects and non-target organisms. For best results, start feeding these additives before the beginning of the fly season, continue through the summer and into the fall until cold weather reduces fly activity.

If you decide to use an IGR larval control product mid-season, you may need to use products that control adult flies (such as on-animal insecticides, premise sprays and bait stations) until the IGR product gets the population under control. Then use these additional products only as needed.

**Where to Find These Products?** These products are often sold where equine feed and supplies are sold or through veterinarians. In the Lincoln area, these products can be found at Fort Western and Tractor Supply Company (both locations) [Note: this list has been updated from the print edition]. These products can also be purchased from internet vendors.

**Problems with Control.** Sometimes flies will not be controlled as well as one would

like. This can occur when:

1. Sanitation is not good. Flies breed in organic matter other than manure. Spoiled feed or hay, wet bedding, grass clippings, poorly managed compost and other organic matter will breed flies. These IGR feed-through products only control flies breeding in manure.

2. For some reason, horses do not get the recommended daily IGR dose. If you do not have the ability to control dosing, control may not be achieved.

3. Other livestock or pet waste is producing flies.

4. Flies from surrounding areas travel to your equine facility. If your neighbor has livestock/horses and is not controlling his fly population, even the best fly management will be compromised. Studies have shown flies can travel considerable distances, but most house and stable flies will only travel a mile or two.

5. Resistance by flies to these IGR products is possible, especially if you use the same product year after year. If the product you have chosen seems to lose its effectiveness over time, you may need to use a different product or approach.

### What About Using Parasites for Fly Control?

Another non-toxic approach is to use parasitic wasps which lay eggs in immature flies, usually the pupa. The wasp larva quickly hatches, feeds on the pupa and kills it before it emerges. However, research studies in Nebraska showed wasp releases did not achieve reductions in fly populations, even when four times the recommended numbers of wasps were released.

*Note: Products named are for the convenience of the reader and not an endorsement. Be sure to read, understand and follow all label directions. Never use products not labeled specifically for use on horses.*

### UNL Researcher Seeks Alfalfa Fields to Study Pocket Gophers

Stephen Vantassel, UNL wildlife project coordinator, is conducting a second year's research project to determine the most efficient trapping method for controlling pocket gophers. He is looking for area farmers willing to give him permission to trap pocket gophers on their non-irrigated alfalfa fields.

To be included in the study, fields must have pocket gophers present and have had no pocket gopher control measures (of any kind) for at least one year. The study site must be accessible by a vehicle. Stephen is looking for fields (four-acres minimum) within a one-hour drive of Lincoln, but he will drive farther for large sites. The study is designed to trap gophers for one night and not to eliminate pocket gophers. If you would be willing to help Stephen with this study, please contact him at 472-8961.

### Household Hazardous Waste Collections

**Saturday, May 19, 9 a.m.–1 p.m.**  
Pfizer Inc., 601 W. Cornhusker  
includes Latex Paint Exchange

**Friday, June 22, 9 a.m.–1 p.m.**  
Union College Parking Lot, 52 & Cooper St.

**Saturday, June 23, 9 a.m.–1 p.m.**  
NE Wesleyan, parking lot, 56 & Huntington St.

#### Some items you can bring for disposal:

Thermometers, thermostats containing mercury, solvents, oil-based paint, paint thinner, pesticides, (even banned products like DDT), items containing PCB's (ballasts from fluorescent fixtures and capacitors from old appliances).

On May 19 only, you may bring latex paint for the paint exchange. Do not bring asbestos, tires, batteries, used oil, medicines, fertilizers, explosives and ammunition.

These collections are for household only; not for businesses. Only residents of Lincoln and Lancaster County can bring items to collections. For more information, call the Lincoln-Lancaster County Health Department at 441-8040.

### Termite Workshops for Homeowners in May

To become more informed about termites, attend a workshop, "Everything Homeowners Need to Know about Termites and Termite Control." University Extension Educators, Barb Ogg, Dennis Ferraro and Pesticide Education Specialist, Clyde Ogg, will discuss termite biology and behavior, home inspection tips, differences between barrier and bait treatments and how treatments should be done for best termite control. Tim Creger, pesticide program manager of the Nebraska Department of Agriculture will discuss why it is important for homeowners to read and understand termiticide labels.

This workshop will be held at the following Nebraska locations:

- May 3—Omaha, Douglas-Sarpy Counties Central Office; 8015 W. Center; 6:30–9:30 p.m.
- May 15—Weeping Water, Cass County Extension Office, 8400 144th Street, located on the Cass County Fairgrounds, 6:30–9:30 p.m.
- May 17—Lincoln, Lancaster Extension Education Center, 444 Cherrycreek Road 6:30–9:30 p.m.

There is a \$25 registration fee for this workshop. In addition to training, participants will receive up-to-date reference materials. For more information or registration form, go to <http://lancaster.unl.edu/pest/termite.shtml> or call 441-7180.